TVRE **DEALER** GUIDE **2024** MVR <u>Hybrid</u> MV_DealerG_CAN_2024

Why choose Mvac

Experience

-)) The expertise of Canada's largest central vacuum manufacturer.
- With over 30 years of experience in the development, manufacturing, and marketing of central vacuum systems, **Mvac** offers poweful and reliable power units.
-)) The support of a strong authorized dealer network.
-)) Our large service center network ensures the presence of a certified technician in your area.
-) Our experience and expertise allow us to offer the best central vacuum systems at a very competitive price.

Quality

- >> High quality components.
-)) All components, including the steel and the thermogardening paint, are carefully chosen to ensure the top performance and durability of the unit.
-)) Our motors are designed for optimum performance, effiency, and guietness.

Innovative technologies

- The hybrid technology allows you to use your Mvac vacuum unit with or without a bag. It's your choice!
-)) The AntiVibraSound system eliminates vibrations to keep operating sound levels to a minimum.

Outstanding warranty

) Not only do we guarantee the unit body for life, the motors up to 15 years, and attachments for 5 years, we even guarantee your satisfactions!

Well-being

-) Mvac power units offer a unique versatility that allows you to choose at any time your filtration mode: with or without a bag, which both ensure superior air quality.
- >>> Even the most demanding clients are sure to find the central vacuum that perfectly meet their needs and expectations.

Exclusive attachments

) Because the quality of our attachments is as important to us as our central vacuums, **Mvac** offers exclusive attachments, which optimize the performance and use of your vacuum cleaner.



Central Vacuum Motors in One Glance

See, compare, and make your choice!





1 stage motor

Water lift 122.2" Amps 14.7 A Airwatts 664 AW Motor revolution (rpm) 58 044



Water lift 143.1" Amps 15 A Airwatts 650 AW Motor revolution (rpm) 33 834





3 stage motor

Puissance d'aspiration 144.9" Amps 14.1 A Airwatts 659 AW Motor revolution (rpm) 29 308

Heavy duty 3 stage motor

Water lift 145.9" Amps 14.3 A Airwatts 530 AW Motor revolution (rpm) 24 265



Optimum serie

The *Optimum* series offers superior quality central vacuum units that have made Mvac's reputation.

Most Mvac units are perfectly designed for use with the Retraflex® retractable hose system*.

AntiVibraSound System (AVS): This system eliminates vibrations with specially engineered components and state of the art soundproofing. This way, you may use your vacuum system at any time, without worrying about disturbing anyone.

Metal body for unparalleled durability and sturdiness.







What is a central vacuum system?

The Mvac central vacuum unit may be installed in the garage, workshop, basement or mechanical room. It is connected to a piping system installed within walls, floors, or even wardrobes to reach vacuum inlets strategically placed around the house.

Bien plus puissant qu'un appareil portable, l'aspirateur Mvac vous permet de tout nettoyer en profondeur en utilisant une foule d'accessoires pratiques et d'obtenir une qualité d'air sans égale grâce à son système de filtration haute performance.

Simple and pleasant to use

No more heavy appliances to drag, no more marks on your floors: you only use a light and easy-to-handle flexible hose. You will appreciate all the comfort that a central vacuum system offers, especially when the time will come to clean stairs, small spaces, or even large surfaces.

Easy to install

The installation of a central vacuum system can be easily done in an existing house as well as during construction. You may call on our certified specialists or install it yourself with the help of one of our installation kits and our DVD, which will guide you step by step.

A **filtration** system that suits **you**

Hybrid¹ technology

Mvac designed a versatile filtration system that perfectly suits today's fast-paced lifestyle: the hybrid filtration. Use our units with or without a bag; it's up to you! Your dust bag is full and you're out of spare ones? Simply remove it and use your system without a bag. How convenient! No matter how you choose to use your system, filtration is ensured by a HEPA type non-stick self-cleaning filter, and you are certain to benefit from a cleaner and healthier environment.

¹ Not available on M45 & M47 models.

OptimumSerie







Technical specifications	M47	M50	M80	
Airwatts	650 AW	650 AW	700 AW	
Water lift (H ₂ O)	143.1" 3634 mm	143.1" 3634 mm	138.1" 3508 mm	
Decibels	56 dB	56 dB	58 dB	
Air flow	130 CFM 221 CMH	130 CFM 221 CMH	138 CFM 234 CMH	
MAX amps	15 A	15 A	14,5 A	
Voltage	120 V	120 V	120 V	
Motors per unit	1	1	1	
Turbines per motor	1	2	2	
Bag capacity	16 I · 4.2 gal US	16 I · 4.2 gal US	22 I · 5.8 gal US	
Canister capacity	n/a · n.d.	n/a · n.d.	17.4 I · 4.6 gal US	
Weight	20 lb · 9.1 kg	22.2 lb · 10.1 kg	22.4 lb · 10.2 kg	
Height	27.5" · 69.9 cm	22.5" / 57.2 cm	38.5" · 97.8 cm	
Diameter	11.9" · 30.2 cm	14.1" / 35.8 cm	11.9" · 30.2 cm	
Principle	Electrostatic bag	Electrostatic bag	Hybrid filtration	
Filtration	Bag and permanent filter	Bag and round filter	Bag or self-cleaning filter	
Part warranty [†]	10 years	10 years	10 years	
Labor warranty [†]	5 years	5 years	5 years	
Product Code	AMVAC47SA	AMVAC50A	AMVAC80A	
MSRP	\$649.95	\$769.95	\$779.95	







MOE UDOOF		HD7525		
M95	HD925	in series	in parallel	
659 AW	625 AW	1354 AW		
144.9" 3680 mm	161.5" 4102 mm	254" 6452 mm	149.2" 3790 mm	
65 dB	65 dB	72 dB	70 dB	
135.8 CFM 230.7 CMH	116 CFM 197 CMH	136.7 CFM 232.3 CMH	273.4 CFM 464.5 CMH	
14,1 A	14,5 A	14,	6 A	
120 V	120 V	240) V	
1	1	2	2	
2	2	2		
22 I · 5.8 gal US	22 I · 5.8 gal US	22 I · 5.8 gal US		
23.3 I · 6.2 gal US	23.3 I · 6.2 gal US	23.3 I · 6.2 gal US		
32.2 lb · 14.6 kg	32.2 lb · 14.6 kg	unit 1 : 37.9 unit 2 : 15.8		
39.1" · 99.3 cm	39.1" · 99.3 cm	unit 1 : 41.8" · 106.2 cm unit 2 : 17" · 43.2 cm		
14.1" · 35.8 cm	14.1" · 35.8 cm	unit: 14.1" · 35.8 cm unit: 11" · 27.9 cm		
Hybrid filtration	Hybrid filtration	Hybrid filtration		
Bag or self-cleaning filter	Bag or self-cleaning filter	Bag or self-cleaning filter		
10 years	15 years or 750 hrs	15 years or 750 hrs		
5 years	5 years	5 years		
AMVAC95A	AITLHD925A	AITLHD7525A		
\$999.95	\$1075.00	\$179	9.95	

Mvac Combos













These combos M95 include 2x the illustrated kit shown.









Commercial Line (HD)

HD Motor **Units**



Master unit 2 stages AITLHD820A \$1,229.95

Wet/dry Wave Collector



Promo: \$2,885.00

HD Dust Collector



With filters TDRECP16 \$453.00



No bag, no filter TDRECP15 \$453.00



With bag TDRECP17 \$388.00

Collector & interceptor



Ash collector TDRECP23





		Attachment Kit (Wireless handle)	Attachment Kit (Standard handle) B	Installation kit	PVC pipes	Final installation kit E	Total* (Wireless handle)	Total* (standard handle)
HOSE 30'	Softtouch SpeedyFlex	PROMO: \$492.95 REG: \$714.00 ITNN30XXRFI ITRCY30XXRFI	PROMO: \$324.95 REG: \$468.00 ITNN30XXSTD ITRNN30XXSTD	\$385.00 ITINSRETN	\$40.00		PROMO: \$965.95 REG: \$1,187.00	PROMO: \$797.95 REG: \$941.00
HOSE 40'	Softtouch SpeedyFlex	PROMO: \$520.95 REG: \$754.00 ITNN40XXRFI ITRNN40XXRFI	PROMO: \$344.95 REG: \$500.00 ITNN40XXSTD ITRNN40XXSTD		\$50.00	\$48.00 ITINSKITF	PROMO: \$1,003.95 REG: \$1,237.00	PROMO: \$827.95 REG: \$983.00
HOSE 50'	Softtouch SpeedyFlex	PROMO: \$574.95 REG: \$833.00 ITNN50XXRFI ITRNN50XXRFI	PROMO: \$389.95 REG: \$564.00 ITNN50XXSTD ITRNN50XXSTD		\$60.00		PROMO: \$1,067.95 REG: \$1,326.00	PROMO: \$882.95 REG: \$1,057.00
HOSE 60'	Softtouch SpeedyFlex	PROMO: \$618.95 REG: \$896.00 ITNN60XXRFI ITRNN60XXRFI	PROMO: \$433.95 REG: \$627.00 ITNN60XXSTD ITRNN60XXSTD		\$70.00		PROMO: \$1,121.95 REG: \$1,399.00	PROMO: \$936.95 REG: \$1,130.00

*Installation not included









Hoses








Electric Powerheads





Brushes





Miscellaneous





\$10.00



TABRCADG \$4.00



Hose cover with zipper TBVAZ--GR

30' (9.1 m)	\$67.00
35' (10.7 m)	\$80.00
40' (12.2 m)	\$94.00



Installation



TF04010 _ \$12.00



2 5

Deco Metallic TF04015 _ \$35.00



Metallic TFVACPC_A \$54.00

IT202142

\$16.00



Classic TFVACPC__A \$54.00

IT202141

\$23.00



TFVACCS0_



IT202140

\$29.00



TFVACPRIT + TFVACADAP \$31.00



TF000101 \$3.00



\$28.00



Y-45° long TF5525BV \$3.00



45° TF5517BV \$1.00



45° spigot **TF5518BV** \$1.00



90° long TF5510BV \$2.00



90° spigot TF5511BV \$2.00



Stop coupling TF5529BV \$1.00



Universal Start 90° TF5503BV \$2.00




T-90° long TF5501BV \$2.00



90° short TF5506BV \$1.00

Installation Kits







310C Model Portable UVC air purifier

The 310 Cyclo UV air purifier is lightweight, easy to move and can be positioned on the floor or on a piece of furniture.



- Touch panel
- Timed shutdown
- With an air flow rate up to 135 CFM



\$119.95

PUV310C

510C Model

Portable UVC air purifier

The 510 Cyclo UV air purifier can be positioned in the room of your choice.

- Touch panel
- Displays timer, temperature and relative humidity
- With an air flow rate up to 206 CFM








Purify. Breathe.







▶ Canister vacuums









\$150⁰⁰

TDHANDVAC

Rectangular brush

2 Hepa filters



NEW

HANDVAC ultra-lightweight cordless handheld vacuum

2-in-1 tool

Stick Vac+

Super practical, this ultra light and cordless vacuum will simplify the way you do the daily cleaning.



















Technical data	20	40	50	60	70
Airwatts	606 AW	606 AW	606 AW	666 AW	706 AW
Water Lift (H ₂ O)	119.7" - 3022 mm	119.7" - 3022 mm	119.7" - 3022 mm	122.2" - 3099 mm	128.7" - 3251 mm
Decibels	64 db	64 db	64 db	64 db	64 db
Air flow	118 PCM CFM 201 MCH CMH	118 PCM CFM 201 MCH CMH	118 PCM CFM 201 MCH CMH	122 PCM CFM 208 MCH CMH	122 MCH CMH 208 MCH CMH
MAX amps	12.8 A	12.8 A	12.8 A	14.7 A	15.3 A
Voltage	120 V	120 V	120 V	120 V	120 V
Number of motor	1	1	1	1	1
Turbine per motor	1	1	1	1	1
Bag capacity	6.4 1.7 gal US	16 I · 3,6 gal US	16 3.6 gal US	20 5.3 gal US	20 5.3 gal US
Canister capacity	n/a	n/a	n/a	17.4 4.6 gal US	17.4 4.6 gal US
Weight	5.7 kg 12.5 lbs	8.7 kg 19.2 lbs	8.5 kg 18.7 lbs	10.2 kg 22.4 lbs	10.2 kg 22.4 lbs
Height	36.8 cm 14.2"	57.2 cm 22.5"	57.9 cm 22.8"	95.2 cm 37.4"	95.2 cm 37.4"
Diameter	26.7 cm 10.2"	30.2 cm 11.9"	30.2 cm 11.9"	30.2 cm 11.9"	30.2 cm 11.9"
Principle		Electrostatic bag Bag or self-cleaning filte			leaning filter
Filtration	Permanent filter Bag & permanent filter Hybrid filtration		iltration		
Part warranty†	10 years*				
Labor warranty†		3 years			
Product Code	ASUPERV20A	ASUPERV40A	ASUPERV50A	ASUPERV60A	ASUPERV70A
MSRP	\$588.00	\$430.00	\$631.00	\$646.00	\$692.00

 † Domestic use only. See details in store or online. *5 years 100% + 5 years 50%







Electric		
30' (9 m)	-30-	\$482.00
35' (10.6 m)	-35-	\$509.00
SPELXXDS		



Garage standara				
30' (9 m)	-30-	\$80.00		
35' (10.6 m)	- 35 -	\$95.00		
40' (12.2 m)	- 40 -	\$104.00		
TECGA STD				



Garage luxe				
30' (9 m)	-30-	\$98.00		
35' (10.6 m)	-35-	\$114.00		
40' (12.2 m)	- 40 -	\$124.00		
TECGA DLX				

Bags & filters



Product code	Units
TDSAC03M	M44, M45, M47
TDSAC43M	M40
TDSAC53M	M35, M75, M70
TDSAC91N	M47SA
TDSAC92N	M50
TDSAC93M	M80, M80G, M85, M90, M95, M110
TDSAC93N	HD925
TDFILT50V	M35, M75, M85
TDFILT64V	M70, M80
TDFILT65V	M80G, M90, M95, HD925, M110
TDFITE74V	M44, M47



TDFILT50V \$71.00



TDFILT64V \$89.00



TDFILT65V \$91.00



TDFITE74V \$40.00